

Virtual Color Wheel

Color Chart

DMX Channel Value	Display Readout	Red Value	Green Value	Blue Value	Amber Value	Lime Value
000 ⇄ 005	--	000	000	000	000	000
006 ⇄ 013	C3050 - Md Yellow	150	125	002	255	043
014 ⇄ 021	C3040 - Lt Yellow	235	108	005	255	076
022 ⇄ 028	C3240 - Amb Yellow	171	036	000	120	255
029 ⇄ 035	C2340 - VLt Amber	255	015	017	255	170
036 ⇄ 043	C2040 - Lt Amber	255	000	010	255	143
044 ⇄ 051	C2050 - Md Amber	255	000	003	255	075
052 ⇄ 059	C2060 - Dk Amber	188	000	002	255	044
060 ⇄ 067	C1050 - Lt Red	255	000	002	021	002
068 ⇄ 075	C1080 - Md Red	255	000	002	000	000
076 ⇄ 083	C1020 - NC Pink	255	130	025	255	027
084 ⇄ 091	C1030 - Md Pink	255	013	041	235	182
092 ⇄ 099	C1630 - Dk Pink	255	015	027	030	255
100 ⇄ 107	C1250 - Md Red Amber	255	000	004	115	009
108 ⇄ 115	C1060 - Dk Red Amber	255	000	004	011	008
116 ⇄ 121	C1650 - Magenta	255	000	022	081	039
122 ⇄ 130	C6170 - Dk Magenta	160	000	025	000	004
131 ⇄ 138	C6020 - Lt Lavender	255	162	043	255	140
139 ⇄ 146	C5030 - Lt Blue	012	255	070	076	115
147 ⇄ 154	C5020 - VLt Blue	030	187	085	215	255
155 ⇄ 162	C5430 - Lt Blue 2	004	255	062	093	049
163 ⇄ 170	C5070 - Blue	005	255	190	003	012
171 ⇄ 178	C5050 - Md Blue	008	250	145	005	088
179 ⇄ 186	C5060 - Dk Blue	005	209	255	015	074
187 ⇄ 194	C5690 - Indigo	005	000	200	013	003
195 ⇄ 202	C5080 - VDk Blue	007	112	255	005	007
203 ⇄ 210	C5081 - VDk Blue 2	004	108	255	003	004
211 ⇄ 218	C4370 - Yel Green	004	255	000	005	003
219 ⇄ 226	C4070 - Green	027	255	006	000	020
227 ⇄ 234	C4550 - Turquoise	007	255	021	070	076
235 ⇄ 242	C4560 - Aqua	007	255	031	085	115
243 ⇄ 250	C4570 - Blue Green	002	255	017	002	020
251 ⇄ 255	--	000	000	000	000	000

Color Temperature Chart

DMX Channel Value	Display Readout	Red Value	Green Value	Blue Value	Amber Value	Lime Value
000 ⇄ 005	--	000	000	000	000	000
006 ⇄ 025	2800K	255	051	018	255	255
026 ⇄ 050	3200K	179	082	025	185	220
051 ⇄ 075	3500K	255	130	033	255	240
076 ⇄ 100	4000K	255	219	045	198	255
101 ⇄ 125	4500K	140	255	055	255	255
126 ⇄ 150	5000K	107	255	063	200	255
151 ⇄ 175	5600K	082	255	072	190	230
176 ⇄ 200	6000K	074	255	078	167	255
201 ⇄ 225	6500K	065	255	084	140	255
226 ⇄ 255	--	000	000	000	000	000

DMX Values

10-Cell Personalities

10-Cell RGBAL FULL 135CH

Channel	Function	Value	Percent/Setting
1	Dimmer	000 ⇄ 255	0–100%
2	Dimmer Fine	000 ⇄ 255	0–100%
3	Red 1	000 ⇄ 255	0–100%
4	Red Fine 1	000 ⇄ 255	0–100%
5	Green 1	000 ⇄ 255	0–100%
6	Green Fine 1	000 ⇄ 255	0–100%
7	Blue 1	000 ⇄ 255	0–100%
8	Blue Fine 1	000 ⇄ 255	0–100%
9	Amber 1	000 ⇄ 255	0–100%
10	Amber Fine 1	000 ⇄ 255	0–100%
11	Lime 1	000 ⇄ 255	0–100%
12	Lime Fine 1	000 ⇄ 255	0–100%
13	Virtual Color Wheel 1	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
14	Color Temperature 1	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
15	Strobe 1	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast

DMX CHART



www.chauvetprofessional.com

10-Cell RGBAL FULL 135CH (cont.)

Channel	Function	Value	Percent/Setting
16	Red 2	000 ⇄ 255	0–100%
17	Red Fine 2	000 ⇄ 255	0–100%
18	Green 2	000 ⇄ 255	0–100%
19	Green Fine 2	000 ⇄ 255	0–100%
20	Blue 2	000 ⇄ 255	0–100%
21	Blue Fine 2	000 ⇄ 255	0–100%
22	Amber 2	000 ⇄ 255	0–100%
23	Amber Fine 2	000 ⇄ 255	0–100%
24	Lime 2	000 ⇄ 255	0–100%
25	Lime Fine 2	000 ⇄ 255	0–100%
26	Virtual Color Wheel 2	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
27	Color Temperature 2	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
28	Strobe 2	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
29	Red 3	000 ⇄ 255	0–100%
30	Red Fine 3	000 ⇄ 255	0–100%
31	Green 3	000 ⇄ 255	0–100%
32	Green Fine 3	000 ⇄ 255	0–100%
33	Blue 3	000 ⇄ 255	0–100%
34	Blue Fine 3	000 ⇄ 255	0–100%
35	Amber 3	000 ⇄ 255	0–100%
36	Amber Fine 3	000 ⇄ 255	0–100%
37	Lime 3	000 ⇄ 255	0–100%
38	Lime Fine 3	000 ⇄ 255	0–100%
39	Virtual Color Wheel 3	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
40	Color Temperature 3	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
41	Strobe 3	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
42	Red 4	000 ⇄ 255	0–100%
43	Red Fine 4	000 ⇄ 255	0–100%
44	Green 4	000 ⇄ 255	0–100%
45	Green Fine 4	000 ⇄ 255	0–100%
46	Blue 4	000 ⇄ 255	0–100%
47	Blue Fine 4	000 ⇄ 255	0–100%
48	Amber 4	000 ⇄ 255	0–100%
49	Amber Fine 4	000 ⇄ 255	0–100%
50	Lime 4	000 ⇄ 255	0–100%
51	Lime Fine 4	000 ⇄ 255	0–100%
52	Virtual Color Wheel 4	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
53	Color Temperature 4	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values

10-Cell RGBAL FULL 135CH (cont.)

Channel	Function	Value	Percent/Setting
54	Strobe 4	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
55	Red 5	000 ⇄ 255	0–100%
56	Red Fine 5	000 ⇄ 255	0–100%
57	Green 5	000 ⇄ 255	0–100%
58	Green Fine 5	000 ⇄ 255	0–100%
59	Blue 5	000 ⇄ 255	0–100%
60	Blue Fine 5	000 ⇄ 255	0–100%
61	Amber 5	000 ⇄ 255	0–100%
62	Amber Fine 5	000 ⇄ 255	0–100%
63	Lime 5	000 ⇄ 255	0–100%
64	Lime Fine 5	000 ⇄ 255	0–100%
65	Virtual Color Wheel 5	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
66	Color Temperature 5	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
67	Strobe 5	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
68	Red 6	000 ⇄ 255	0–100%
69	Red Fine 6	000 ⇄ 255	0–100%
70	Green 6	000 ⇄ 255	0–100%
71	Green Fine 6	000 ⇄ 255	0–100%
72	Blue 6	000 ⇄ 255	0–100%
73	Blue Fine 6	000 ⇄ 255	0–100%
74	Amber 6	000 ⇄ 255	0–100%
75	Amber Fine 6	000 ⇄ 255	0–100%
76	Lime 6	000 ⇄ 255	0–100%
77	Lime Fine 6	000 ⇄ 255	0–100%
78	Virtual Color Wheel 6	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
79	Color Temperature 6	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
80	Strobe 6	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
81	Red 7	000 ⇄ 255	0–100%
82	Red Fine 7	000 ⇄ 255	0–100%
83	Green 7	000 ⇄ 255	0–100%
84	Green Fine 7	000 ⇄ 255	0–100%
85	Blue 7	000 ⇄ 255	0–100%
86	Blue Fine 7	000 ⇄ 255	0–100%
87	Amber 7	000 ⇄ 255	0–100%
88	Amber Fine 7	000 ⇄ 255	0–100%
89	Lime 7	000 ⇄ 255	0–100%
90	Lime Fine 7	000 ⇄ 255	0–100%
91	Virtual Color Wheel 7	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values

DMX CHART



www.chauvetprofessional.com

10-Cell RGBAL FULL 135CH (cont.)

Channel	Function	Value	Percent/Setting
92	Color Temperature 7	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
93	Strobe 7	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
94	Red 8	000 ⇄ 255	0–100%
95	Red Fine 8	000 ⇄ 255	0–100%
96	Green 8	000 ⇄ 255	0–100%
97	Green Fine 8	000 ⇄ 255	0–100%
98	Blue 8	000 ⇄ 255	0–100%
99	Blue Fine 8	000 ⇄ 255	0–100%
100	Amber 8	000 ⇄ 255	0–100%
101	Amber Fine 8	000 ⇄ 255	0–100%
102	Lime 8	000 ⇄ 255	0–100%
103	Lime Fine 8	000 ⇄ 255	0–100%
104	Virtual Color Wheel 8	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
105	Color Temperature 8	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
106	Strobe 8	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
107	Red 9	000 ⇄ 255	0–100%
108	Red Fine 9	000 ⇄ 255	0–100%
109	Green 9	000 ⇄ 255	0–100%
110	Green Fine 9	000 ⇄ 255	0–100%
111	Blue 9	000 ⇄ 255	0–100%
112	Blue Fine 9	000 ⇄ 255	0–100%
113	Amber 9	000 ⇄ 255	0–100%
114	Amber Fine 9	000 ⇄ 255	0–100%
115	Lime 9	000 ⇄ 255	0–100%
116	Lime Fine 9	000 ⇄ 255	0–100%
117	Virtual Color Wheel 9	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
118	Color Temperature 9	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
119	Strobe 9	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
120	Red 10	000 ⇄ 255	0–100%
121	Red Fine 10	000 ⇄ 255	0–100%
122	Green 10	000 ⇄ 255	0–100%
123	Green Fine 10	000 ⇄ 255	0–100%
124	Blue 10	000 ⇄ 255	0–100%
125	Blue Fine 10	000 ⇄ 255	0–100%
126	Amber 10	000 ⇄ 255	0–100%
127	Amber Fine 10	000 ⇄ 255	0–100%
128	Lime 10	000 ⇄ 255	0–100%
129	Lime Fine 10	000 ⇄ 255	0–100%

10-Cell RGBAL FULL 135CH (cont.)

Channel	Function	Value	Percent/Setting
130	Virtual Color Wheel 10	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
131	Color Temperature 10	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
132	Strobe 10	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
133	Strobe All	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
134	Color Macros	000 ⇄ 015	No function
		016 ⇄ 255	Color macros
135	Dimmer Speed	000 ⇄ 051	Preset dimmer speed from display menu
		052 ⇄ 101	Dimmer speed mode off
		102 ⇄ 152	Dimmer speed mode 1 (fastest)
		153 ⇄ 203	Dimmer speed mode 2
		204 ⇄ 255	Dimmer speed mode 3 (slowest)

10-Cell RGBAL Fine 100CH

Channel	Function	Value	Percent/Setting
1	Red 1	000 ⇄ 255	0–100%
2	Red Fine 1	000 ⇄ 255	0–100%
3	Green 1	000 ⇄ 255	0–100%
4	Green Fine 1	000 ⇄ 255	0–100%
5	Blue 1	000 ⇄ 255	0–100%
6	Blue Fine 1	000 ⇄ 255	0–100%
7	Amber 1	000 ⇄ 255	0–100%
8	Amber Fine 1	000 ⇄ 255	0–100%
9	Lime 1	000 ⇄ 255	0–100%
10	Lime Fine 1	000 ⇄ 255	0–100%
11	Red 2	000 ⇄ 255	0–100%
12	Red Fine 2	000 ⇄ 255	0–100%
13	Green 2	000 ⇄ 255	0–100%
14	Green Fine 2	000 ⇄ 255	0–100%
15	Blue 2	000 ⇄ 255	0–100%
16	Blue Fine 2	000 ⇄ 255	0–100%
17	Amber 2	000 ⇄ 255	0–100%
18	Amber Fine 2	000 ⇄ 255	0–100%
19	Lime 2	000 ⇄ 255	0–100%
20	Lime Fine 2	000 ⇄ 255	0–100%
21	Red 3	000 ⇄ 255	0–100%
22	Red Fine 3	000 ⇄ 255	0–100%
23	Green 3	000 ⇄ 255	0–100%
24	Green Fine 3	000 ⇄ 255	0–100%
25	Blue 3	000 ⇄ 255	0–100%
26	Blue Fine 3	000 ⇄ 255	0–100%
27	Amber 3	000 ⇄ 255	0–100%
28	Amber Fine 3	000 ⇄ 255	0–100%

DMX CHART



www.chauvetprofessional.com

10-Cell RGBAL Fine 100CH (cont.)

Channel	Function	Value	Percent/Setting
29	Lime 3	000 ⇄ 255	0–100%
30	Lime Fine 3	000 ⇄ 255	0–100%
31	Red 4	000 ⇄ 255	0–100%
32	Red Fine 4	000 ⇄ 255	0–100%
33	Green 4	000 ⇄ 255	0–100%
34	Green Fine 4	000 ⇄ 255	0–100%
35	Blue 4	000 ⇄ 255	0–100%
36	Blue Fine 4	000 ⇄ 255	0–100%
37	Amber 4	000 ⇄ 255	0–100%
38	Amber Fine 4	000 ⇄ 255	0–100%
39	Lime 4	000 ⇄ 255	0–100%
40	Lime Fine 4	000 ⇄ 255	0–100%
41	Red 5	000 ⇄ 255	0–100%
42	Red Fine 5	000 ⇄ 255	0–100%
43	Green 5	000 ⇄ 255	0–100%
44	Green Fine 5	000 ⇄ 255	0–100%
45	Blue 5	000 ⇄ 255	0–100%
46	Blue Fine 5	000 ⇄ 255	0–100%
47	Amber 5	000 ⇄ 255	0–100%
48	Amber Fine 5	000 ⇄ 255	0–100%
49	Lime 5	000 ⇄ 255	0–100%
50	Lime Fine 5	000 ⇄ 255	0–100%
51	Red 6	000 ⇄ 255	0–100%
52	Red Fine 6	000 ⇄ 255	0–100%
53	Green 6	000 ⇄ 255	0–100%
54	Green Fine 6	000 ⇄ 255	0–100%
55	Blue 6	000 ⇄ 255	0–100%
56	Blue Fine 6	000 ⇄ 255	0–100%
57	Amber 6	000 ⇄ 255	0–100%
58	Amber Fine 6	000 ⇄ 255	0–100%
59	Lime 6	000 ⇄ 255	0–100%
60	Lime Fine 6	000 ⇄ 255	0–100%
61	Red 7	000 ⇄ 255	0–100%
62	Red Fine 7	000 ⇄ 255	0–100%
63	Green 7	000 ⇄ 255	0–100%
64	Green Fine 7	000 ⇄ 255	0–100%
65	Blue 7	000 ⇄ 255	0–100%
66	Blue Fine 7	000 ⇄ 255	0–100%
67	Amber 7	000 ⇄ 255	0–100%
68	Amber Fine 7	000 ⇄ 255	0–100%
69	Lime 7	000 ⇄ 255	0–100%
70	Lime Fine 7	000 ⇄ 255	0–100%
71	Red 8	000 ⇄ 255	0–100%
72	Red Fine 8	000 ⇄ 255	0–100%
73	Green 8	000 ⇄ 255	0–100%

10-Cell RGBAL Fine 100CH (cont.)

Channel	Function	Value	Percent/Setting
74	Green Fine 8	000 ⇄ 255	0–100%
75	Blue 8	000 ⇄ 255	0–100%
76	Blue Fine 8	000 ⇄ 255	0–100%
77	Amber 8	000 ⇄ 255	0–100%
78	Amber Fine 8	000 ⇄ 255	0–100%
79	Lime 8	000 ⇄ 255	0–100%
80	Lime Fine 8	000 ⇄ 255	0–100%
81	Red 9	000 ⇄ 255	0–100%
82	Red Fine 9	000 ⇄ 255	0–100%
83	Green 9	000 ⇄ 255	0–100%
84	Green Fine 9	000 ⇄ 255	0–100%
85	Blue 9	000 ⇄ 255	0–100%
86	Blue Fine 9	000 ⇄ 255	0–100%
87	Amber 9	000 ⇄ 255	0–100%
88	Amber Fine 9	000 ⇄ 255	0–100%
89	Lime 9	000 ⇄ 255	0–100%
90	Lime Fine 9	000 ⇄ 255	0–100%
91	Red 10	000 ⇄ 255	0–100%
92	Red Fine 10	000 ⇄ 255	0–100%
93	Green 10	000 ⇄ 255	0–100%
94	Green Fine 10	000 ⇄ 255	0–100%
95	Blue 10	000 ⇄ 255	0–100%
96	Blue Fine 10	000 ⇄ 255	0–100%
97	Amber 10	000 ⇄ 255	0–100%
98	Amber Fine 10	000 ⇄ 255	0–100%
99	Lime 10	000 ⇄ 255	0–100%
100	Lime Fine 10	000 ⇄ 255	0–100%

10-Cell RGBAL EXT 83CH

Channel	Function	Value	Percent/Setting
1	Dimmer	000 ⇄ 255	0–100%
2	Dimmer Fine	000 ⇄ 255	0–100%
3	Red 1	000 ⇄ 255	0–100%
4	Green 1	000 ⇄ 255	0–100%
5	Blue 1	000 ⇄ 255	0–100%
6	Amber 1	000 ⇄ 255	0–100%
7	Lime 1	000 ⇄ 255	0–100%
8	Virtual Color Wheel 1	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
9	Color Temperature 1	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
10	Strobe 1	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast

DMX CHART



www.chauvetprofessional.com

10-Cell RGBAL EXT 83CH (cont.)

Channel	Function	Value	Percent/Setting
11	Red 2	000 ⇄ 255	0–100%
12	Green 2	000 ⇄ 255	0–100%
13	Blue 2	000 ⇄ 255	0–100%
14	Amber 2	000 ⇄ 255	0–100%
15	Lime 2	000 ⇄ 255	0–100%
16	Virtual Color Wheel 2	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
17	Color Temperature 2	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
18	Strobe 2	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
19	Red 3	000 ⇄ 255	0–100%
20	Green 3	000 ⇄ 255	0–100%
21	Blue 3	000 ⇄ 255	0–100%
22	Amber 3	000 ⇄ 255	0–100%
23	Lime 3	000 ⇄ 255	0–100%
24	Virtual Color Wheel 3	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
25	Color Temperature 3	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
26	Strobe 3	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
27	Red 4	000 ⇄ 255	0–100%
28	Green 4	000 ⇄ 255	0–100%
29	Blue 4	000 ⇄ 255	0–100%
30	Amber 4	000 ⇄ 255	0–100%
31	Lime 4	000 ⇄ 255	0–100%
32	Virtual Color Wheel 4	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
33	Color Temperature 4	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
34	Strobe 4	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
35	Red 5	000 ⇄ 255	0–100%
36	Green 5	000 ⇄ 255	0–100%
37	Blue 5	000 ⇄ 255	0–100%
38	Amber 5	000 ⇄ 255	0–100%
39	Lime 5	000 ⇄ 255	0–100%
40	Virtual Color Wheel 5	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
41	Color Temperature 5	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
42	Strobe 5	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
43	Red 6	000 ⇄ 255	0–100%
44	Green 6	000 ⇄ 255	0–100%
45	Blue 6	000 ⇄ 255	0–100%

10-Cell RGBAL EXT 83CH (cont.)

Channel	Function	Value	Percent/Setting
46	Amber 6	000 ⇄ 255	0–100%
47	Lime 6	000 ⇄ 255	0–100%
48	Virtual Color Wheel 6	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
49	Color Temperature 6	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
50	Strobe 6	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
51	Red 7	000 ⇄ 255	0–100%
52	Green 7	000 ⇄ 255	0–100%
53	Blue 7	000 ⇄ 255	0–100%
54	Amber 7	000 ⇄ 255	0–100%
55	Lime 7	000 ⇄ 255	0–100%
56	Virtual Color Wheel 7	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
57	Color Temperature 7	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
58	Strobe 7	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
59	Red 8	000 ⇄ 255	0–100%
60	Green 8	000 ⇄ 255	0–100%
61	Blue 8	000 ⇄ 255	0–100%
62	Amber 8	000 ⇄ 255	0–100%
63	Lime 8	000 ⇄ 255	0–100%
64	Virtual Color Wheel 8	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
65	Color Temperature 8	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
66	Strobe 8	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
67	Red 9	000 ⇄ 255	0–100%
68	Green 9	000 ⇄ 255	0–100%
69	Blue 9	000 ⇄ 255	0–100%
70	Amber 9	000 ⇄ 255	0–100%
71	Lime 9	000 ⇄ 255	0–100%
72	Virtual Color Wheel 9	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
73	Color Temperature 9	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
74	Strobe 9	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
75	Red 10	000 ⇄ 255	0–100%
76	Green 10	000 ⇄ 255	0–100%
77	Blue 10	000 ⇄ 255	0–100%
78	Amber 10	000 ⇄ 255	0–100%
79	Lime 10	000 ⇄ 255	0–100%

DMX CHART



www.chauvetprofessional.com

10-Cell RGBAL EXT 83CH (cont.)

Channel	Function	Value	Percent/Setting
80	Virtual Color Wheel 10	000 ⇔ 255	Refer to the Virtual Color Wheel Chart for specific values
81	Color Temperature 10	000 ⇔ 255	Refer to the Preset Color Temperature Chart for specific values
82	Strobe 10	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast
83	Strobe All	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast

10-Cell RGBA EXT 73CH

Channel	Function	Value	Percent/Setting
1	Dimmer	000 ⇔ 255	0–100%
2	Dimmer Fine	000 ⇔ 255	0–100%
3	Red 1	000 ⇔ 255	0–100%
4	Green 1	000 ⇔ 255	0–100%
5	Blue 1	000 ⇔ 255	0–100%
6	Amber 1	000 ⇔ 255	0–100%
7	Virtual Color Wheel 1	000 ⇔ 255	Refer to the Virtual Color Wheel Chart for specific values
8	Color Temperature 1	000 ⇔ 255	Refer to the Preset Color Temperature Chart for specific values
9	Strobe 1	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast
10	Red 2	000 ⇔ 255	0–100%
11	Green 2	000 ⇔ 255	0–100%
12	Blue 2	000 ⇔ 255	0–100%
13	Amber 2	000 ⇔ 255	0–100%
14	Virtual Color Wheel 2	000 ⇔ 255	Refer to the Virtual Color Wheel Chart for specific values
15	Color Temperature 2	000 ⇔ 255	Refer to the Preset Color Temperature Chart for specific values
16	Strobe 2	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast
17	Red 3	000 ⇔ 255	0–100%
18	Green 3	000 ⇔ 255	0–100%
19	Blue 3	000 ⇔ 255	0–100%
20	Amber 3	000 ⇔ 255	0–100%
21	Virtual Color Wheel 3	000 ⇔ 255	Refer to the Virtual Color Wheel Chart for specific values
22	Color Temperature 3	000 ⇔ 255	Refer to the Preset Color Temperature Chart for specific values
23	Strobe 3	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast
24	Red 4	000 ⇔ 255	0–100%
25	Green 4	000 ⇔ 255	0–100%
26	Blue 4	000 ⇔ 255	0–100%
27	Amber 4	000 ⇔ 255	0–100%

10-Cell RGBA EXT 73CH (cont.)

Channel	Function	Value	Percent/Setting
28	Virtual Color Wheel 4	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
29	Color Temperature 4	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
30	Strobe 4	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
31	Red 5	000 ⇄ 255	0–100%
32	Green 5	000 ⇄ 255	0–100%
33	Blue 5	000 ⇄ 255	0–100%
34	Amber 5	000 ⇄ 255	0–100%
35	Virtual Color Wheel 5	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
36	Color Temperature 5	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
37	Strobe 5	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
38	Red 6	000 ⇄ 255	0–100%
39	Green 6	000 ⇄ 255	0–100%
40	Blue 6	000 ⇄ 255	0–100%
41	Amber 6	000 ⇄ 255	0–100%
42	Virtual Color Wheel 6	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
43	Color Temperature 6	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
44	Strobe 6	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
45	Red 7	000 ⇄ 255	0–100%
46	Green 7	000 ⇄ 255	0–100%
47	Blue 7	000 ⇄ 255	0–100%
48	Amber 7	000 ⇄ 255	0–100%
49	Virtual Color Wheel 7	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
50	Color Temperature 7	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
51	Strobe 7	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
52	Red 8	000 ⇄ 255	0–100%
53	Green 8	000 ⇄ 255	0–100%
54	Blue 8	000 ⇄ 255	0–100%
55	Amber 8	000 ⇄ 255	0–100%
56	Virtual Color Wheel 8	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
57	Color Temperature 8	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
58	Strobe 8	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast

DMX CHART



www.chauvetprofessional.com

10-Cell RGBA EXT 73CH (cont.)

Channel	Function	Value	Percent/Setting
59	Red 9	000 ⇔ 255	0–100%
60	Green 9	000 ⇔ 255	0–100%
61	Blue 9	000 ⇔ 255	0–100%
62	Amber 9	000 ⇔ 255	0–100%
63	Virtual Color Wheel 9	000 ⇔ 255	Refer to the Virtual Color Wheel Chart for specific values
64	Color Temperature 9	000 ⇔ 255	Refer to the Preset Color Temperature Chart for specific values
65	Strobe 9	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast
66	Red 10	000 ⇔ 255	0–100%
67	Green 10	000 ⇔ 255	0–100%
68	Blue 10	000 ⇔ 255	0–100%
69	Amber 10	000 ⇔ 255	0–100%
70	Virtual Color Wheel 10	000 ⇔ 255	Refer to the Virtual Color Wheel Chart for specific values
71	Color Temperature 10	000 ⇔ 255	Refer to the Preset Color Temperature Chart for specific values
72	Strobe 10	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast
73	Strobe All	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast

10-Cell RGB EXT 63CH

Channel	Function	Value	Percent/Setting
1	Dimmer	000 ⇔ 255	0–100%
2	Dimmer Fine	000 ⇔ 255	0–100%
3	Red 1	000 ⇔ 255	0–100%
4	Green 1	000 ⇔ 255	0–100%
5	Blue 1	000 ⇔ 255	0–100%
6	Virtual Color Wheel 1	000 ⇔ 255	Refer to the Virtual Color Wheel Chart for specific values
7	Color Temperature 1	000 ⇔ 255	Refer to the Preset Color Temperature Chart for specific values
8	Strobe 1	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast
9	Red 2	000 ⇔ 255	0–100%
10	Green 2	000 ⇔ 255	0–100%
11	Blue 2	000 ⇔ 255	0–100%
12	Virtual Color Wheel 2	000 ⇔ 255	Refer to the Virtual Color Wheel Chart for specific values
13	Color Temperature 2	000 ⇔ 255	Refer to the Preset Color Temperature Chart for specific values
14	Strobe 2	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast
15	Red 3	000 ⇔ 255	0–100%
16	Green 3	000 ⇔ 255	0–100%

10-Cell RGB EXT 63CH (cont.)

Channel	Function	Value	Percent/Setting
17	Blue 3	000 ⇄ 255	0–100%
18	Virtual Color Wheel 3	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
19	Color Temperature 3	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
20	Strobe 3	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
21	Red 4	000 ⇄ 255	0–100%
22	Green 4	000 ⇄ 255	0–100%
23	Blue 4	000 ⇄ 255	0–100%
24	Virtual Color Wheel 4	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
25	Color Temperature 4	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
26	Strobe 4	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
27	Red 5	000 ⇄ 255	0–100%
28	Green 5	000 ⇄ 255	0–100%
29	Blue 5	000 ⇄ 255	0–100%
30	Virtual Color Wheel 5	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
31	Color Temperature 5	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
32	Strobe 5	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
33	Red 6	000 ⇄ 255	0–100%
34	Green 6	000 ⇄ 255	0–100%
35	Blue 6	000 ⇄ 255	0–100%
36	Virtual Color Wheel 6	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
37	Color Temperature 6	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
38	Strobe 6	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
39	Red 7	000 ⇄ 255	0–100%
40	Green 7	000 ⇄ 255	0–100%
41	Blue 7	000 ⇄ 255	0–100%
42	Virtual Color Wheel 7	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
43	Color Temperature 7	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
44	Strobe 7	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
45	Red 8	000 ⇄ 255	0–100%
46	Green 8	000 ⇄ 255	0–100%
47	Blue 8	000 ⇄ 255	0–100%
48	Virtual Color Wheel 8	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values

DMX CHART



www.chauvetprofessional.com

10-Cell RGB EXT 63CH (cont.)

Channel	Function	Value	Percent/Setting
49	Color Temperature 8	000 ⇔ 255	Refer to the Preset Color Temperature Chart for specific values
50	Strobe 8	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast
51	Red 9	000 ⇔ 255	0–100%
52	Green 9	000 ⇔ 255	0–100%
53	Blue 9	000 ⇔ 255	0–100%
54	Virtual Color Wheel 9	000 ⇔ 255	Refer to the Virtual Color Wheel Chart for specific values
55	Color Temperature 9	000 ⇔ 255	Refer to the Preset Color Temperature Chart for specific values
56	Strobe 9	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast
57	Red 10	000 ⇔ 255	0–100%
58	Green 10	000 ⇔ 255	0–100%
59	Blue 10	000 ⇔ 255	0–100%
60	Virtual Color Wheel 10	000 ⇔ 255	Refer to the Virtual Color Wheel Chart for specific values
61	Color Temperature 10	000 ⇔ 255	Refer to the Preset Color Temperature Chart for specific values
62	Strobe 10	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast
63	Strobe All	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast

10-Cell RGBAL 50CH

Channel	Function	Value	Percent/Setting
1	Red 1	000 ⇔ 255	0–100%
2	Green 1	000 ⇔ 255	0–100%
3	Blue 1	000 ⇔ 255	0–100%
4	Amber 1	000 ⇔ 255	0–100%
5	Lime 1	000 ⇔ 255	0–100%
6	Red 2	000 ⇔ 255	0–100%
7	Green 2	000 ⇔ 255	0–100%
8	Blue 2	000 ⇔ 255	0–100%
9	Amber 2	000 ⇔ 255	0–100%
10	Lime 2	000 ⇔ 255	0–100%
11	Red 3	000 ⇔ 255	0–100%
12	Green 3	000 ⇔ 255	0–100%
13	Blue 3	000 ⇔ 255	0–100%
14	Amber 3	000 ⇔ 255	0–100%
15	Lime 3	000 ⇔ 255	0–100%
16	Red 4	000 ⇔ 255	0–100%
17	Green 4	000 ⇔ 255	0–100%
18	Blue 4	000 ⇔ 255	0–100%
19	Amber 4	000 ⇔ 255	0–100%
20	Lime 4	000 ⇔ 255	0–100%

10-Cell RGBAL 50CH (cont.)

Channel	Function	Value	Percent/Setting
21	Red 5	000 ⇄ 255	0–100%
22	Green 5	000 ⇄ 255	0–100%
23	Blue 5	000 ⇄ 255	0–100%
24	Amber 5	000 ⇄ 255	0–100%
25	Lime 5	000 ⇄ 255	0–100%
26	Red 6	000 ⇄ 255	0–100%
27	Green 6	000 ⇄ 255	0–100%
28	Blue 6	000 ⇄ 255	0–100%
29	Amber 6	000 ⇄ 255	0–100%
30	Lime 6	000 ⇄ 255	0–100%
31	Red 7	000 ⇄ 255	0–100%
32	Green 7	000 ⇄ 255	0–100%
33	Blue 7	000 ⇄ 255	0–100%
34	Amber 7	000 ⇄ 255	0–100%
35	Lime 7	000 ⇄ 255	0–100%
36	Red 8	000 ⇄ 255	0–100%
37	Green 8	000 ⇄ 255	0–100%
38	Blue 8	000 ⇄ 255	0–100%
39	Amber 8	000 ⇄ 255	0–100%
40	Lime 8	000 ⇄ 255	0–100%
41	Red 9	000 ⇄ 255	0–100%
42	Green 9	000 ⇄ 255	0–100%
43	Blue 9	000 ⇄ 255	0–100%
44	Amber 9	000 ⇄ 255	0–100%
45	Lime 9	000 ⇄ 255	0–100%
46	Red 10	000 ⇄ 255	0–100%
47	Green 10	000 ⇄ 255	0–100%
48	Blue 10	000 ⇄ 255	0–100%
49	Amber 10	000 ⇄ 255	0–100%
50	Lime 10	000 ⇄ 255	0–100%

10-Cell RGBA 40CH

Channel	Function	Value	Percent/Setting
1	Red 1	000 ⇄ 255	0–100%
2	Green 1	000 ⇄ 255	0–100%
3	Blue 1	000 ⇄ 255	0–100%
4	Amber 1	000 ⇄ 255	0–100%
5	Red 2	000 ⇄ 255	0–100%
6	Green 2	000 ⇄ 255	0–100%
7	Blue 2	000 ⇄ 255	0–100%
8	Amber 2	000 ⇄ 255	0–100%
9	Red 3	000 ⇄ 255	0–100%
10	Green 3	000 ⇄ 255	0–100%
11	Blue 3	000 ⇄ 255	0–100%
12	Amber 3	000 ⇄ 255	0–100%

DMX CHART



www.chauvetprofessional.com

10-Cell RGBA 40CH (cont.)

Channel	Function	Value	Percent/Setting
13	Red 4	000 ⇄ 255	0–100%
14	Green 4	000 ⇄ 255	0–100%
15	Blue 4	000 ⇄ 255	0–100%
16	Amber 4	000 ⇄ 255	0–100%
17	Red 5	000 ⇄ 255	0–100%
18	Green 5	000 ⇄ 255	0–100%
19	Blue 5	000 ⇄ 255	0–100%
20	Amber 5	000 ⇄ 255	0–100%
21	Red 6	000 ⇄ 255	0–100%
22	Green 6	000 ⇄ 255	0–100%
23	Blue 6	000 ⇄ 255	0–100%
24	Amber 6	000 ⇄ 255	0–100%
25	Red 7	000 ⇄ 255	0–100%
26	Green 7	000 ⇄ 255	0–100%
27	Blue 7	000 ⇄ 255	0–100%
28	Amber 7	000 ⇄ 255	0–100%
29	Red 8	000 ⇄ 255	0–100%
30	Green 8	000 ⇄ 255	0–100%
31	Blue 8	000 ⇄ 255	0–100%
32	Amber 8	000 ⇄ 255	0–100%
33	Red 9	000 ⇄ 255	0–100%
34	Green 9	000 ⇄ 255	0–100%
35	Blue 9	000 ⇄ 255	0–100%
36	Amber 9	000 ⇄ 255	0–100%
37	Red 10	000 ⇄ 255	0–100%
38	Green 10	000 ⇄ 255	0–100%
39	Blue 10	000 ⇄ 255	0–100%
40	Amber 10	000 ⇄ 255	0–100%

10-Cell RGB 30CH

Channel	Function	Value	Percent/Setting
1	Red 1	000 ⇄ 255	0–100%
2	Green 1	000 ⇄ 255	0–100%
3	Blue 1	000 ⇄ 255	0–100%
4	Red 2	000 ⇄ 255	0–100%
5	Green 2	000 ⇄ 255	0–100%
6	Blue 2	000 ⇄ 255	0–100%
7	Red 3	000 ⇄ 255	0–100%
8	Green 3	000 ⇄ 255	0–100%
9	Blue 3	000 ⇄ 255	0–100%
10	Red 4	000 ⇄ 255	0–100%
11	Green 4	000 ⇄ 255	0–100%
12	Blue 4	000 ⇄ 255	0–100%
13	Red 5	000 ⇄ 255	0–100%
14	Green 5	000 ⇄ 255	0–100%

10-Cell RGB 30CH (cont.)

Channel	Function	Value	Percent/Setting
15	Blue 5	000 ⇄ 255	0–100%
16	Red 6	000 ⇄ 255	0–100%
17	Green 6	000 ⇄ 255	0–100%
18	Blue 6	000 ⇄ 255	0–100%
19	Red 7	000 ⇄ 255	0–100%
20	Green 7	000 ⇄ 255	0–100%
21	Blue 7	000 ⇄ 255	0–100%
22	Red 8	000 ⇄ 255	0–100%
23	Green 8	000 ⇄ 255	0–100%
24	Blue 8	000 ⇄ 255	0–100%
25	Red 9	000 ⇄ 255	0–100%
26	Green 9	000 ⇄ 255	0–100%
27	Blue 9	000 ⇄ 255	0–100%
28	Red 10	000 ⇄ 255	0–100%
29	Green 10	000 ⇄ 255	0–100%
30	Blue 10	000 ⇄ 255	0–100%

10-Cell HSV 30CH

Channel	Function	Value	Percent/Setting
1	Hue 1	000 ⇄ 255	0–100%
2	Saturation 1	000 ⇄ 255	0–100%
3	Value 1	000 ⇄ 255	0–100%
4	Hue 2	000 ⇄ 255	0–100%
5	Saturation 2	000 ⇄ 255	0–100%
6	Value 2	000 ⇄ 255	0–100%
7	Hue 3	000 ⇄ 255	0–100%
8	Saturation 3	000 ⇄ 255	0–100%
9	Value 3	000 ⇄ 255	0–100%
10	Hue 4	000 ⇄ 255	0–100%
11	Saturation 4	000 ⇄ 255	0–100%
12	Value 4	000 ⇄ 255	0–100%
13	Hue 5	000 ⇄ 255	0–100%
14	Saturation 5	000 ⇄ 255	0–100%
15	Value 5	000 ⇄ 255	0–100%
16	Hue 6	000 ⇄ 255	0–100%
17	Saturation 6	000 ⇄ 255	0–100%
18	Value 6	000 ⇄ 255	0–100%
19	Hue 7	000 ⇄ 255	0–100%
20	Saturation 7	000 ⇄ 255	0–100%
21	Value 7	000 ⇄ 255	0–100%
22	Hue 8	000 ⇄ 255	0–100%
23	Saturation 8	000 ⇄ 255	0–100%
24	Value 8	000 ⇄ 255	0–100%
25	Hue 9	000 ⇄ 255	0–100%
26	Saturation 9	000 ⇄ 255	0–100%

DMX CHART



www.chauvetprofessional.com

10-Cell RGB 30CH (cont.)

Channel	Function	Value	Percent/Setting
27	Value 9	000 ⇄ 255	0–100%
28	Hue 10	000 ⇄ 255	0–100%
29	Saturation 10	000 ⇄ 255	0–100%
30	Value 10	000 ⇄ 255	0–100%

5-Cell Personalities

5-Cell RGBAL FULL 70CH

Channel	Function	Value	Percent/Setting
1	Dimmer	000 ⇄ 255	0–100%
2	Dimmer Fine	000 ⇄ 255	0–100%
3	Red 1	000 ⇄ 255	0–100%
4	Red Fine 1	000 ⇄ 255	0–100%
5	Green 1	000 ⇄ 255	0–100%
6	Green Fine 1	000 ⇄ 255	0–100%
7	Blue 1	000 ⇄ 255	0–100%
8	Blue Fine 1	000 ⇄ 255	0–100%
9	Amber 1	000 ⇄ 255	0–100%
10	Amber Fine 1	000 ⇄ 255	0–100%
11	Lime 1	000 ⇄ 255	0–100%
12	Lime Fine 1	000 ⇄ 255	0–100%
13	Virtual Color Wheel 1	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
14	Color Temperature 1	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
15	Strobe 1	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
16	Red 2	000 ⇄ 255	0–100%
17	Red Fine 2	000 ⇄ 255	0–100%
18	Green 2	000 ⇄ 255	0–100%
19	Green Fine 2	000 ⇄ 255	0–100%
20	Blue 2	000 ⇄ 255	0–100%
21	Blue Fine 2	000 ⇄ 255	0–100%
22	Amber 2	000 ⇄ 255	0–100%
23	Amber Fine 2	000 ⇄ 255	0–100%

5-Cell RGBAL FULL 70CH (cont.)

Channel	Function	Value	Percent/Setting
24	Lime 2	000 ⇄ 255	0–100%
25	Lime Fine 2	000 ⇄ 255	0–100%
26	Virtual Color Wheel 2	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
27	Color Temperature 2	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
28	Strobe 2	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
29	Red 3	000 ⇄ 255	0–100%
30	Red Fine 3	000 ⇄ 255	0–100%
31	Green 3	000 ⇄ 255	0–100%
32	Green Fine 3	000 ⇄ 255	0–100%
33	Blue 3	000 ⇄ 255	0–100%
34	Blue Fine 3	000 ⇄ 255	0–100%
35	Amber 3	000 ⇄ 255	0–100%
36	Amber Fine 3	000 ⇄ 255	0–100%
37	Lime 3	000 ⇄ 255	0–100%
38	Lime Fine 3	000 ⇄ 255	0–100%
39	Virtual Color Wheel 3	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
40	Color Temperature 3	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
41	Strobe 3	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
42	Red 4	000 ⇄ 255	0–100%
43	Red Fine 4	000 ⇄ 255	0–100%
44	Green 4	000 ⇄ 255	0–100%
45	Green Fine 4	000 ⇄ 255	0–100%
46	Blue 4	000 ⇄ 255	0–100%
47	Blue Fine 4	000 ⇄ 255	0–100%
48	Amber 4	000 ⇄ 255	0–100%
49	Amber Fine 4	000 ⇄ 255	0–100%
50	Lime 4	000 ⇄ 255	0–100%
51	Lime Fine 4	000 ⇄ 255	0–100%
52	Virtual Color Wheel 4	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
53	Color Temperature 4	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
54	Strobe 4	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
55	Red 5	000 ⇄ 255	0–100%
56	Red Fine 5	000 ⇄ 255	0–100%
57	Green 5	000 ⇄ 255	0–100%
58	Green Fine 5	000 ⇄ 255	0–100%
59	Blue 5	000 ⇄ 255	0–100%
60	Blue Fine 5	000 ⇄ 255	0–100%

DMX CHART



www.chauvetprofessional.com

5-Cell RGBAL FULL 70CH (cont.)

Channel	Function	Value	Percent/Setting
61	Amber 5	000 ⇄ 255	0–100%
62	Amber Fine 5	000 ⇄ 255	0–100%
63	Lime 5	000 ⇄ 255	0–100%
64	Lime Fine 5	000 ⇄ 255	0–100%
65	Virtual Color Wheel 5	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
66	Color Temperature 5	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
67	Strobe 5	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
68	Strobe All	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
69	Color Macros	000 ⇄ 015	No function
		016 ⇄ 255	Color macros
70	Dimmer Speed	000 ⇄ 051	Preset dimmer speed from display menu
		052 ⇄ 101	Dimmer speed mode off
		102 ⇄ 152	Dimmer speed mode 1 (fastest)
		153 ⇄ 203	Dimmer speed mode 2
		204 ⇄ 255	Dimmer speed mode 3 (slowest)

5-Cell RGBAL Fine 50CH

Channel	Function	Value	Percent/Setting
1	Red 1	000 ⇄ 255	0–100%
2	Red Fine 1	000 ⇄ 255	0–100%
3	Green 1	000 ⇄ 255	0–100%
4	Green Fine 1	000 ⇄ 255	0–100%
5	Blue 1	000 ⇄ 255	0–100%
6	Blue Fine 1	000 ⇄ 255	0–100%
7	Amber 1	000 ⇄ 255	0–100%
8	Amber Fine 1	000 ⇄ 255	0–100%
9	Lime 1	000 ⇄ 255	0–100%
10	Lime Fine 1	000 ⇄ 255	0–100%
11	Red 2	000 ⇄ 255	0–100%
12	Red Fine 2	000 ⇄ 255	0–100%
13	Green 2	000 ⇄ 255	0–100%
14	Green Fine 2	000 ⇄ 255	0–100%
15	Blue 2	000 ⇄ 255	0–100%
16	Blue Fine 2	000 ⇄ 255	0–100%
17	Amber 2	000 ⇄ 255	0–100%
18	Amber Fine 2	000 ⇄ 255	0–100%
19	Lime 2	000 ⇄ 255	0–100%
20	Lime Fine 2	000 ⇄ 255	0–100%
21	Red 3	000 ⇄ 255	0–100%
22	Red Fine 3	000 ⇄ 255	0–100%
23	Green 3	000 ⇄ 255	0–100%
24	Green Fine 3	000 ⇄ 255	0–100%

5-Cell RGBAL Fine 50CH (cont.)

Channel	Function	Value	Percent/Setting
25	Blue 3	000 ⇄ 255	0–100%
26	Blue Fine 3	000 ⇄ 255	0–100%
27	Amber 3	000 ⇄ 255	0–100%
28	Amber Fine 3	000 ⇄ 255	0–100%
29	Lime 3	000 ⇄ 255	0–100%
30	Lime Fine 3	000 ⇄ 255	0–100%
31	Red 4	000 ⇄ 255	0–100%
32	Red Fine 4	000 ⇄ 255	0–100%
33	Green 4	000 ⇄ 255	0–100%
34	Green Fine 4	000 ⇄ 255	0–100%
35	Blue 4	000 ⇄ 255	0–100%
36	Blue Fine 4	000 ⇄ 255	0–100%
37	Amber 4	000 ⇄ 255	0–100%
38	Amber Fine 4	000 ⇄ 255	0–100%
39	Lime 4	000 ⇄ 255	0–100%
40	Lime Fine 4	000 ⇄ 255	0–100%
41	Red 5	000 ⇄ 255	0–100%
42	Red Fine 5	000 ⇄ 255	0–100%
43	Green 5	000 ⇄ 255	0–100%
44	Green Fine 5	000 ⇄ 255	0–100%
45	Blue 5	000 ⇄ 255	0–100%
46	Blue Fine 5	000 ⇄ 255	0–100%
47	Amber 5	000 ⇄ 255	0–100%
48	Amber Fine 5	000 ⇄ 255	0–100%
49	Lime 5	000 ⇄ 255	0–100%
50	Lime Fine 5	000 ⇄ 255	0–100%

5-Cell RGBAL EXT 43CH

Channel	Function	Value	Percent/Setting
1	Dimmer	000 ⇄ 255	0–100%
2	Dimmer Fine	000 ⇄ 255	0–100%
3	Red 1	000 ⇄ 255	0–100%
4	Green 1	000 ⇄ 255	0–100%
5	Blue 1	000 ⇄ 255	0–100%
6	Amber 1	000 ⇄ 255	0–100%
7	Lime 1	000 ⇄ 255	0–100%
8	Virtual Color Wheel 1	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
9	Color Temperature 1	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
10	Strobe 1	000 ⇄ 010 011 ⇄ 255	No function Strobe, slow to fast
11	Red 2	000 ⇄ 255	0–100%
12	Green 2	000 ⇄ 255	0–100%
13	Blue 2	000 ⇄ 255	0–100%

DMX CHART



www.chauvetprofessional.com

5-Cell RGBAL EXT 43CH (cont.)

Channel	Function	Value	Percent/Setting
14	Amber 2	000 ⇌ 255	0–100%
15	Lime 2	000 ⇌ 255	0–100%
16	Virtual Color Wheel 2	000 ⇌ 255	Refer to the Virtual Color Wheel Chart for specific values
17	Color Temperature 2	000 ⇌ 255	Refer to the Preset Color Temperature Chart for specific values
18	Strobe 2	000 ⇌ 010	No function
		011 ⇌ 255	Strobe, slow to fast
19	Red 3	000 ⇌ 255	0–100%
20	Green 3	000 ⇌ 255	0–100%
21	Blue 3	000 ⇌ 255	0–100%
22	Amber 3	000 ⇌ 255	0–100%
23	Lime 3	000 ⇌ 255	0–100%
24	Virtual Color Wheel 3	000 ⇌ 255	Refer to the Virtual Color Wheel Chart for specific values
25	Color Temperature 3	000 ⇌ 255	Refer to the Preset Color Temperature Chart for specific values
26	Strobe 3	000 ⇌ 010	No function
		011 ⇌ 255	Strobe, slow to fast
27	Red 4	000 ⇌ 255	0–100%
28	Green 4	000 ⇌ 255	0–100%
29	Blue 4	000 ⇌ 255	0–100%
30	Amber 4	000 ⇌ 255	0–100%
31	Lime 4	000 ⇌ 255	0–100%
32	Virtual Color Wheel 4	000 ⇌ 255	Refer to the Virtual Color Wheel Chart for specific values
33	Color Temperature 4	000 ⇌ 255	Refer to the Preset Color Temperature Chart for specific values
34	Strobe 4	000 ⇌ 010	No function
		011 ⇌ 255	Strobe, slow to fast
35	Red 5	000 ⇌ 255	0–100%
36	Green 5	000 ⇌ 255	0–100%
37	Blue 5	000 ⇌ 255	0–100%
38	Amber 5	000 ⇌ 255	0–100%
39	Lime 5	000 ⇌ 255	0–100%
40	Virtual Color Wheel 5	000 ⇌ 255	Refer to the Virtual Color Wheel Chart for specific values
41	Color Temperature 5	000 ⇌ 255	Refer to the Preset Color Temperature Chart for specific values
42	Strobe 5	000 ⇌ 010	No function
		011 ⇌ 255	Strobe, slow to fast
43	Strobe All	000 ⇌ 010	No function
		011 ⇌ 255	Strobe, slow to fast

5-Cell RGBA EXT 38CH

Channel	Function	Value	Percent/Setting
1	Dimmer	000 ⇄ 255	0–100%
2	Dimmer Fine	000 ⇄ 255	0–100%
3	Red 1	000 ⇄ 255	0–100%
4	Green 1	000 ⇄ 255	0–100%
5	Blue 1	000 ⇄ 255	0–100%
6	Amber 1	000 ⇄ 255	0–100%
7	Virtual Color Wheel 1	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
8	Color Temperature 1	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
9	Strobe 1	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
10	Red 2	000 ⇄ 255	0–100%
11	Green 2	000 ⇄ 255	0–100%
12	Blue 2	000 ⇄ 255	0–100%
13	Amber 2	000 ⇄ 255	0–100%
14	Virtual Color Wheel 2	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
15	Color Temperature 2	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
16	Strobe 2	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
17	Red 3	000 ⇄ 255	0–100%
18	Green 3	000 ⇄ 255	0–100%
19	Blue 3	000 ⇄ 255	0–100%
20	Amber 3	000 ⇄ 255	0–100%
21	Virtual Color Wheel 3	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
22	Color Temperature 3	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
23	Strobe 3	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
24	Red 4	000 ⇄ 255	0–100%
25	Green 4	000 ⇄ 255	0–100%
26	Blue 4	000 ⇄ 255	0–100%
27	Amber 4	000 ⇄ 255	0–100%
28	Virtual Color Wheel 4	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
29	Color Temperature 4	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
30	Strobe 4	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
31	Red 5	000 ⇄ 255	0–100%
32	Green 5	000 ⇄ 255	0–100%
33	Blue 5	000 ⇄ 255	0–100%
34	Amber 5	000 ⇄ 255	0–100%

DMX CHART



www.chauvetprofessional.com

5-Cell RGBA EXT 38CH (cont.)

Channel	Function	Value	Percent/Setting
35	Virtual Color Wheel 5	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
36	Color Temperature 5	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
37	Strobe 5	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
38	Strobe All	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast

5-Cell RGB EXT 33CH

Channel	Function	Value	Percent/Setting
1	Dimmer	000 ⇄ 255	0–100%
2	Dimmer Fine	000 ⇄ 255	0–100%
3	Red 1	000 ⇄ 255	0–100%
4	Green 1	000 ⇄ 255	0–100%
5	Blue 1	000 ⇄ 255	0–100%
6	Virtual Color Wheel 1	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
7	Color Temperature 1	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
8	Strobe 1	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
9	Red 2	000 ⇄ 255	0–100%
10	Green 2	000 ⇄ 255	0–100%
11	Blue 2	000 ⇄ 255	0–100%
12	Virtual Color Wheel 2	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
13	Color Temperature 2	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
14	Strobe 2	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
15	Red 3	000 ⇄ 255	0–100%
16	Green 3	000 ⇄ 255	0–100%
17	Blue 3	000 ⇄ 255	0–100%
18	Virtual Color Wheel 3	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
19	Color Temperature 3	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
20	Strobe 3	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
21	Red 4	000 ⇄ 255	0–100%
22	Green 4	000 ⇄ 255	0–100%
23	Blue 4	000 ⇄ 255	0–100%
24	Virtual Color Wheel 4	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
25	Color Temperature 4	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values

5-Cell RGB EXT 33CH (cont.)

Channel	Function	Value	Percent/Setting
26	Strobe 4	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
27	Red 5	000 ⇄ 255	0–100%
28	Green 5	000 ⇄ 255	0–100%
29	Blue 5	000 ⇄ 255	0–100%
30	Virtual Color Wheel 5	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
31	Color Temperature 5	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
32	Strobe 5	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
33	Strobe All	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast

5-Cell RGBAL 25CH

Channel	Function	Value	Percent/Setting
1	Red 1	000 ⇄ 255	0–100%
2	Green 1	000 ⇄ 255	0–100%
3	Blue 1	000 ⇄ 255	0–100%
4	Amber 1	000 ⇄ 255	0–100%
5	Lime 1	000 ⇄ 255	0–100%
6	Red 2	000 ⇄ 255	0–100%
7	Green 2	000 ⇄ 255	0–100%
8	Blue 2	000 ⇄ 255	0–100%
9	Amber 2	000 ⇄ 255	0–100%
10	Lime 2	000 ⇄ 255	0–100%
11	Red 3	000 ⇄ 255	0–100%
12	Green 3	000 ⇄ 255	0–100%
13	Blue 3	000 ⇄ 255	0–100%
14	Amber 3	000 ⇄ 255	0–100%
15	Lime 3	000 ⇄ 255	0–100%
16	Red 4	000 ⇄ 255	0–100%
17	Green 4	000 ⇄ 255	0–100%
18	Blue 4	000 ⇄ 255	0–100%
19	Amber 4	000 ⇄ 255	0–100%
20	Lime 4	000 ⇄ 255	0–100%
21	Red 5	000 ⇄ 255	0–100%
22	Green 5	000 ⇄ 255	0–100%
23	Blue 5	000 ⇄ 255	0–100%
24	Amber 5	000 ⇄ 255	0–100%
25	Lime 5	000 ⇄ 255	0–100%

DMX CHART



www.chauvetprofessional.com

5-Cell RGBA 20CH

Channel	Function	Value	Percent/Setting
1	Red 1	000 ⇔ 255	0–100%
2	Green 1	000 ⇔ 255	0–100%
3	Blue 1	000 ⇔ 255	0–100%
4	Amber 1	000 ⇔ 255	0–100%
5	Red 2	000 ⇔ 255	0–100%
6	Green 2	000 ⇔ 255	0–100%
7	Blue 2	000 ⇔ 255	0–100%
8	Amber 2	000 ⇔ 255	0–100%
9	Red 3	000 ⇔ 255	0–100%
10	Green 3	000 ⇔ 255	0–100%
11	Blue 3	000 ⇔ 255	0–100%
12	Amber 3	000 ⇔ 255	0–100%
13	Red 4	000 ⇔ 255	0–100%
14	Green 4	000 ⇔ 255	0–100%
15	Blue 4	000 ⇔ 255	0–100%
16	Amber 4	000 ⇔ 255	0–100%
17	Red 5	000 ⇔ 255	0–100%
18	Green 5	000 ⇔ 255	0–100%
19	Blue 5	000 ⇔ 255	0–100%
20	Amber 5	000 ⇔ 255	0–100%

5-Cell RGB 15CH

Channel	Function	Value	Percent/Setting
1	Red 1	000 ⇔ 255	0–100%
2	Green 1	000 ⇔ 255	0–100%
3	Blue 1	000 ⇔ 255	0–100%
4	Red 2	000 ⇔ 255	0–100%
5	Green 2	000 ⇔ 255	0–100%
6	Blue 2	000 ⇔ 255	0–100%
7	Red 3	000 ⇔ 255	0–100%
8	Green 3	000 ⇔ 255	0–100%
9	Blue 3	000 ⇔ 255	0–100%
10	Red 4	000 ⇔ 255	0–100%
11	Green 4	000 ⇔ 255	0–100%
12	Blue 4	000 ⇔ 255	0–100%
13	Red 5	000 ⇔ 255	0–100%
14	Green 5	000 ⇔ 255	0–100%
15	Blue 5	000 ⇔ 255	0–100%

5-Cell HSV 15CH

Channel	Function	Value	Percent/Setting
1	Hue 1	000 ⇄ 255	0–100%
2	Saturation 1	000 ⇄ 255	0–100%
3	Value 1	000 ⇄ 255	0–100%
4	Hue 2	000 ⇄ 255	0–100%
5	Saturation 2	000 ⇄ 255	0–100%
6	Value 2	000 ⇄ 255	0–100%
7	Hue 3	000 ⇄ 255	0–100%
8	Saturation 3	000 ⇄ 255	0–100%
9	Value 3	000 ⇄ 255	0–100%
10	Hue 4	000 ⇄ 255	0–100%
11	Saturation 4	000 ⇄ 255	0–100%
12	Value 4	000 ⇄ 255	0–100%
13	Hue 5	000 ⇄ 255	0–100%
14	Saturation 5	000 ⇄ 255	0–100%
15	Value 5	000 ⇄ 255	0–100%

2-Cell Personalities

2-Cell RGBAL FULL 31CH

Channel	Function	Value	Percent/Setting
1	Dimmer	000 ⇄ 255	0–100%
2	Dimmer Fine	000 ⇄ 255	0–100%
3	Red 1	000 ⇄ 255	0–100%
4	Red Fine 1	000 ⇄ 255	0–100%
5	Green 1	000 ⇄ 255	0–100%
6	Green Fine 1	000 ⇄ 255	0–100%
7	Blue 1	000 ⇄ 255	0–100%
8	Blue Fine 1	000 ⇄ 255	0–100%
9	Amber 1	000 ⇄ 255	0–100%
10	Amber Fine 1	000 ⇄ 255	0–100%
11	Lime 1	000 ⇄ 255	0–100%
12	Lime Fine 1	000 ⇄ 255	0–100%
13	Virtual Color Wheel 1	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
14	Color Temperature 1	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
15	Strobe 1	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
16	Red 2	000 ⇄ 255	0–100%
17	Red Fine 2	000 ⇄ 255	0–100%
18	Green 2	000 ⇄ 255	0–100%
19	Green Fine 2	000 ⇄ 255	0–100%
20	Blue 2	000 ⇄ 255	0–100%
21	Blue Fine 2	000 ⇄ 255	0–100%
22	Amber 2	000 ⇄ 255	0–100%
23	Amber Fine 2	000 ⇄ 255	0–100%
24	Lime 1	000 ⇄ 255	0–100%
25	Lime Fine 1	000 ⇄ 255	0–100%

DMX CHART



www.chauvetprofessional.com

Channel	Function	Value	Percent/Setting
26	Virtual Color Wheel 1	000 ⇔ 255	Refer to the Virtual Color Wheel Chart for specific values
27	Color Temperature 1	000 ⇔ 255	Refer to the Preset Color Temperature Chart for specific values
28	Strobe 1	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast
29	Strobe All	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast
30	Color Macros	000 ⇔ 015	No function
		016 ⇔ 255	Color macros
31	Dimmer Speed	000 ⇔ 051	Preset dimmer speed from display menu
		052 ⇔ 101	Dimmer speed mode off
		102 ⇔ 152	Dimmer speed mode 1 (fastest)
		153 ⇔ 203	Dimmer speed mode 2
		204 ⇔ 255	Dimmer speed mode 3 (slowest)

2-Cell RGBAL Fine 20CH

Channel	Function	Value	Percent/Setting
1	Red 1	000 ⇄ 255	0–100%
2	Red Fine 1	000 ⇄ 255	0–100%
3	Green 1	000 ⇄ 255	0–100%
4	Green Fine 1	000 ⇄ 255	0–100%
5	Blue 1	000 ⇄ 255	0–100%
6	Blue Fine 1	000 ⇄ 255	0–100%
7	Amber 1	000 ⇄ 255	0–100%
8	Amber Fine 1	000 ⇄ 255	0–100%
9	Lime 1	000 ⇄ 255	0–100%
10	Lime Fine 1	000 ⇄ 255	0–100%
11	Red 2	000 ⇄ 255	0–100%
12	Red Fine 2	000 ⇄ 255	0–100%
13	Green 2	000 ⇄ 255	0–100%
14	Green Fine 2	000 ⇄ 255	0–100%
15	Blue 2	000 ⇄ 255	0–100%
16	Blue Fine 2	000 ⇄ 255	0–100%
17	Amber 2	000 ⇄ 255	0–100%
18	Amber Fine 2	000 ⇄ 255	0–100%
19	Lime 2	000 ⇄ 255	0–100%
20	Lime Fine 2	000 ⇄ 255	0–100%

2-Cell RGBAL EXT 19CH

Channel	Function	Value	Percent/Setting
1	Dimmer	000 ⇄ 255	0–100%
2	Dimmer Fine	000 ⇄ 255	0–100%
3	Red 1	000 ⇄ 255	0–100%
4	Green 1	000 ⇄ 255	0–100%
5	Blue 1	000 ⇄ 255	0–100%
6	Amber 1	000 ⇄ 255	0–100%
7	Lime 1	000 ⇄ 255	0–100%
8	Virtual Color Wheel 1	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
9	Color Temperature 1	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
10	Strobe 1	000 ⇄ 010 011 ⇄ 255	No function Strobe, slow to fast
11	Red 2	000 ⇄ 255	0–100%
12	Green 2	000 ⇄ 255	0–100%
13	Blue 2	000 ⇄ 255	0–100%
14	Amber 2	000 ⇄ 255	0–100%
15	Lime 2	000 ⇄ 255	0–100%
16	Virtual Color Wheel 2	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
17	Color Temperature 2	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values

DMX CHART



www.chauvetprofessional.com

2-Cell RGBAL EXT 19CH (cont.)

Channel	Function	Value	Percent/Setting
18	Strobe 2	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast
19	Strobe All	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast

2-Cell RGBA EXT 17CH

Channel	Function	Value	Percent/Setting
1	Dimmer	000 ⇔ 255	0–100%
2	Dimmer Fine	000 ⇔ 255	0–100%
3	Red 1	000 ⇔ 255	0–100%
4	Green 1	000 ⇔ 255	0–100%
5	Blue 1	000 ⇔ 255	0–100%
6	Amber 1	000 ⇔ 255	0–100%
7	Virtual Color Wheel 1	000 ⇔ 255	Refer to the Virtual Color Wheel Chart for specific values
8	Color Temperature 1	000 ⇔ 255	Refer to the Preset Color Temperature Chart for specific values
9	Strobe 1	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast
10	Red 2	000 ⇔ 255	0–100%
11	Green 2	000 ⇔ 255	0–100%
12	Blue 2	000 ⇔ 255	0–100%
13	Amber 2	000 ⇔ 255	0–100%
14	Virtual Color Wheel 2	000 ⇔ 255	Refer to the Virtual Color Wheel Chart for specific values
15	Color Temperature 2	000 ⇔ 255	Refer to the Preset Color Temperature Chart for specific values
16	Strobe 2	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast
17	Strobe All	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast

2-Cell RGB EXT 15CH

Channel	Function	Value	Percent/Setting
1	Dimmer	000 ⇔ 255	0–100%
2	Dimmer Fine	000 ⇔ 255	0–100%
3	Red 1	000 ⇔ 255	0–100%
4	Green 1	000 ⇔ 255	0–100%
5	Blue 1	000 ⇔ 255	0–100%
6	Virtual Color Wheel 1	000 ⇔ 255	Refer to the Virtual Color Wheel Chart for specific values
7	Color Temperature 1	000 ⇔ 255	Refer to the Preset Color Temperature Chart for specific values
8	Strobe 1	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast
9	Red 2	000 ⇔ 255	0–100%
10	Green 2	000 ⇔ 255	0–100%

2-Cell RGB EXT 15CH (cont.)

Channel	Function	Value	Percent/Setting
11	Blue 2	000 ⇄ 255	0–100%
12	Virtual Color Wheel 2	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
13	Color Temperature 2	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
14	Strobe 2	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast
15	Strobe All	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast

2-Cell RGBAL 10CH

Channel	Function	Value	Percent/Setting
1	Red 1	000 ⇄ 255	0–100%
2	Green 1	000 ⇄ 255	0–100%
3	Blue 1	000 ⇄ 255	0–100%
4	Amber 1	000 ⇄ 255	0–100%
5	Lime 1	000 ⇄ 255	0–100%
6	Red 2	000 ⇄ 255	0–100%
7	Green 2	000 ⇄ 255	0–100%
8	Blue 2	000 ⇄ 255	0–100%
9	Amber 2	000 ⇄ 255	0–100%
10	Lime 2	000 ⇄ 255	0–100%

2-Cell RGBA 8CH

Channel	Function	Value	Percent/Setting
1	Red 1	000 ⇄ 255	0–100%
2	Green 1	000 ⇄ 255	0–100%
3	Blue 1	000 ⇄ 255	0–100%
4	Amber 1	000 ⇄ 255	0–100%
5	Red 2	000 ⇄ 255	0–100%
6	Green 2	000 ⇄ 255	0–100%
7	Blue 2	000 ⇄ 255	0–100%
8	Amber 2	000 ⇄ 255	0–100%

2-Cell RGB 6CH

Channel	Function	Value	Percent/Setting
1	Red 1	000 ⇄ 255	0–100%
2	Green 1	000 ⇄ 255	0–100%
3	Blue 1	000 ⇄ 255	0–100%
4	Red 2	000 ⇄ 255	0–100%
5	Green 2	000 ⇄ 255	0–100%
6	Blue 2	000 ⇄ 255	0–100%

2-Cell HSV 6CH

Channel	Function	Value	Percent/Setting
1	Hue 1	000 ⇔ 255	0–100%
2	Saturation 1	000 ⇔ 255	0–100%
3	Value 1	000 ⇔ 255	0–100%
4	Hue 2	000 ⇔ 255	0–100%
5	Saturation 2	000 ⇔ 255	0–100%
6	Value 2	000 ⇔ 255	0–100%

1-Cell Personalities**1-Cell RGBAL FULL 17CH**

Channel	Function	Value	Percent/Setting
1	Dimmer	000 ⇔ 255	0–100%
2	Dimmer Fine	000 ⇔ 255	0–100%
3	Red	000 ⇔ 255	0–100%
4	Red Fine	000 ⇔ 255	0–100%
5	Green	000 ⇔ 255	0–100%
6	Green Fine	000 ⇔ 255	0–100%
7	Blue	000 ⇔ 255	0–100%
8	Blue Fine	000 ⇔ 255	0–100%
9	Amber	000 ⇔ 255	0–100%
10	Amber Fine	000 ⇔ 255	0–100%
11	Lime	000 ⇔ 255	0–100%
12	Lime Fine	000 ⇔ 255	0–100%
13	Virtual Color Wheel	000 ⇔ 255	Refer to the Virtual Color Wheel Chart for specific values
14	Color Temperature	000 ⇔ 255	Refer to the Preset Color Temperature Chart for specific values
15	Strobe	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast
16	Color Macros	000 ⇔ 015	No function
		016 ⇔ 255	Color macros
17	Dimmer Speed	000 ⇔ 051	Preset dimmer speed from display menu
		052 ⇔ 101	Dimmer speed mode off
		102 ⇔ 152	Dimmer speed mode 1 (fastest)
		153 ⇔ 203	Dimmer speed mode 2
		204 ⇔ 255	Dimmer speed mode 3 (slowest)

1-Cell RGBAL Fine 10CH

Channel	Function	Value	Percent/Setting
1	Red	000 ⇄ 255	0–100%
2	Red Fine	000 ⇄ 255	0–100%
3	Green	000 ⇄ 255	0–100%
4	Green Fine	000 ⇄ 255	0–100%
5	Blue	000 ⇄ 255	0–100%
6	Blue Fine	000 ⇄ 255	0–100%
7	Amber	000 ⇄ 255	0–100%
8	Amber Fine	000 ⇄ 255	0–100%
9	Lime	000 ⇄ 255	0–100%
10	Lime Fine	000 ⇄ 255	0–100%

1-Cell RGBAL EXT 10CH

Channel	Function	Value	Percent/Setting
1	Dimmer	000 ⇄ 255	0–100%
2	Dimmer Fine	000 ⇄ 255	0–100%
3	Red	000 ⇄ 255	0–100%
4	Green	000 ⇄ 255	0–100%
5	Blue	000 ⇄ 255	0–100%
6	Amber	000 ⇄ 255	0–100%
7	Lime	000 ⇄ 255	0–100%
8	Virtual Color Wheel	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
9	Color Temperature	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
10	Strobe	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast

1-Cell RGBA EXT 9CH

Channel	Function	Value	Percent/Setting
1	Dimmer	000 ⇄ 255	0–100%
2	Dimmer Fine	000 ⇄ 255	0–100%
3	Red	000 ⇄ 255	0–100%
4	Green	000 ⇄ 255	0–100%
5	Blue	000 ⇄ 255	0–100%
6	Amber	000 ⇄ 255	0–100%
7	Virtual Color Wheel	000 ⇄ 255	Refer to the Virtual Color Wheel Chart for specific values
8	Color Temperature	000 ⇄ 255	Refer to the Preset Color Temperature Chart for specific values
9	Strobe	000 ⇄ 010	No function
		011 ⇄ 255	Strobe, slow to fast

1-Cell RGB EXT 8CH

Channel	Function	Value	Percent/Setting
1	Dimmer	000 ⇄ 255	0–100%
2	Dimmer Fine	000 ⇄ 255	0–100%
3	Red	000 ⇄ 255	0–100%
4	Green	000 ⇄ 255	0–100%
5	Blue	000 ⇄ 255	0–100%

DMX CHART



www.chauvetprofessional.com

Channel	Function	Value	Percent/Setting
6	Virtual Color Wheel	000 ⇔ 255	Refer to the Virtual Color Wheel Chart for specific values
7	Color Temperature	000 ⇔ 255	Refer to the Preset Color Temperature Chart for specific values
8	Strobe	000 ⇔ 010	No function
		011 ⇔ 255	Strobe, slow to fast

1-Cell RGBAL 5CH

Channel	Function	Value	Percent/Setting
1	Red	000 ⇔ 255	0–100%
2	Green	000 ⇔ 255	0–100%
3	Blue	000 ⇔ 255	0–100%
4	Amber4	000 ⇔ 255	0–100%
5	Lime	000 ⇔ 255	0–100%

1-Cell RGBA 4CH

Channel	Function	Value	Percent/Setting
1	Red	000 ⇔ 255	0–100%
2	Green	000 ⇔ 255	0–100%
3	Blue	000 ⇔ 255	0–100%
4	Amber	000 ⇔ 255	0–100%

1-Cell RGB 3CH

Channel	Function	Value	Percent/Setting
1	Red	000 ⇔ 255	0–100%
2	Green	000 ⇔ 255	0–100%
3	Blue	000 ⇔ 255	0–100%

1-Cell DMX-VCW-CCT 3CH

Channel	Function	Value	Percent/Setting
1	Dimmer	000 ⇔ 255	0–100%
2	Virtual Color Wheel	000 ⇔ 255	Refer to the Virtual Color Wheel Chart for specific values
3	Color Temperature	000 ⇔ 255	Refer to the Preset Color Temperature Chart for specific values

1-Cell HSV 3CH

Channel	Function	Value	Percent/Setting
1	Hue	000 ⇔ 255	0–100%
2	Saturation	000 ⇔ 255	0–100%
3	Value	000 ⇔ 255	0–100%